


Abmessungen


Weiche Aufsatzbacken

mit Verzahnung 1,5 x 60°



Futtergröße in mm	Bestell- Nummer	A	B	C	D H7	E	F	G	H	L	M
125	8820-13625	52	25	38	12	3,5	14	9	27	12	14
150											
165	8820-17625	70	30	30	12	4	14	9	21	11	17
170KB											
210	8820-21625	80	35	35	14	4,5	19	13	22	12	19
210KB											
254	8820-26625	100	40	40	16	4,5	19	13	27	12	19
265KB											
305KB	8820-31625	120	50	50	18	5	23	15	35	15	25
380	8820-38625	150	60	60	22	5	32	21	45	20	31
460											
530											
610											

Abmessungen
Weiche Aufsatzbacken
mit Verzahnung 1/16" x 90°




Futtergröße in mm	Bestell- Nummer	A	B	C	D H7	E	F	G	H	L	M
125	8820-13612	52	25	38	12	3,5	14	9	27	12	14
150											
165	8820-17612	70	30	30	12	4	14	9	21	11	17
170KB											
210	8820-21612	80	35	35	17	4	19	13	22	12	19
210KB											
254	8820-26612	100	40	40	17	4	19	13	27	12	19
265KB											
305KB	8820-31612	120	50	50	21	4	25	17	37	16	25
380	8820-38612	150	60	60	25,4	5	32	21	45	20	31
460											
530											
610											

Abmessungen

Harte Umkehr-Aufsatzbacken

Verzahnung: 1,5 x 60°




Futtergröße in mm	Bestell- Nummer	A	B	C	D H7	E	F	G	H	L	M
125 150	8820-13624	36	50	12	14	8	14	9	12	3,5	0,5
165 170KB	8130-17624	40	65	17	17	10	29	9	12	4	0,87
210 210KB	8130-21624	50	78	22	19	12	32	13	14	4,5	1,8
254 265KB	8130-26624	50	78	22	19	12	32	13	16	4,5	1,8
305KB	8130-31624	60	126	30	25	14	46	15	18	5	3,8
380 460 530 610	8130-40624	75	126	39	31	18	53	21	22	5	6,4

Abmessungen


Harte Umkehr-Aufsatzbacken

Verzahnung: 1/16" x 90°



Futtergröße in mm	Bestell- Nummer	A	B	C	D H7	E	F	G	H	L	M
125 150	8820-13611	36	50	12	14	8	17	9	12	3,5	0,5
165 170KB	8130-17611	40	65	17	17	10	29	9	12	4	0,87
210 210KB 254 265KB	8130-21611	50	78	22	19	12	32	13	17	4	1,8
305KB	8130-31611	60	126	30	25	14	46	17	21	4	3,8
380 460 530 610	8130-40611	75	126	39	31	18	53	21	25,4	5	6,4

Spannbereiche mit harten Standard-Umkehraufsatzbacken
(weitere Spannbereiche mit Sonderaufsatzbacken möglich)



Futtergröße in mm	E1	E2	E3	E4	I1	I2	I3
125	6-60	18-65	48-95	81-128	50-104	82-136	108-162
150KB	22-84	34-89	64-119	97-152	66-128	98-160	124-186
165	14-80	21-87	70-134	118-184	53-115	100-164	146-212
170KB	22-82	29-89	78-136	126-186	61-117	108-166	154-214
210	22-104	38-119	94-176	145-225	72-152	121-203	175-258
210KB	38-108	54-123	110-180	161-229	88-156	137-207	191-262
254	38-144	56-159	110-214	162-266	87-190	136-241	190-298
265KB	50-156	68-171	122-226	174-278	99-202	148-253	202-310
305KB	28-160	60-190	142-272	203-356	80-204	160-288	238-370
380	60-202	94-235	195-335	295-433	112-250	213-350	306-447
460	102-284	136-317	237-417	337-515	154-332	255-432	348-529
530	112-354	146-387	247-487	347-585	164-402	265-502	358-599
610	136-434	170-467	271-567	371-665	188-482	289-582	382-679